29B891

Member of the

American Association of Nurserymen
N. Y. State Nurserymen's Association
L. I. Nurserymen's Association

Bulk's Nurseries 610 West Montauk Highway, Babylon, L.T., N.Y. Telephone Mohawk 9-4400 LIBRAR RECI U. S. Department of Agriculture Price SPRING-1957



SPRING-1957

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of

Choice Nursery Stock

for over 30 years

Bulk's Nurseries

Babylon, L. J., N. Y.

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

SCHEDULE	OF BAI	LLING	CHARGES	
Approximate	Cost Dep	ending o	n Varieties	
DECIDUOUS 1		Ea per	10 per 100	
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Ca	aliper		\$ 4.50	
$1\frac{1}{2}-2''$	"		5.75	
$2-2\frac{1}{2}''$	"		8.50	
$2\frac{1}{2}$ -3"	"		11.00	
$3-3\frac{1}{2}''$	"		15.00	
02-4	"		20.00	
$4-4\frac{1}{2}''$; ,		28.00	
$4\frac{1}{2}$ -5 $^{\prime\prime}$	"		38.00	
5-6"	,,		48.00	
6-7"	?? ·		60.00	
7-8"	"		80.00	
FLOWERING :	SHRUBS			
2-3'			.65	
3-4'			.75	
4-5'			1.00	
5-6'			1.50	
6-8'		2.50	to 3.50	
8-10'		5.00	to 6.00	

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

In addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

		Each	Each per 10	Each per 100
ABELIA :	grandiflora			
Cans	$1-1\frac{1}{2}'$	1.50	1.25	
ABIES do	ouglasi (Đơ	uglas Fir)		
2-3'		4.25	4.00	3.75
3-4'		5.50	5.00	4.50
4-5'		7.00	6.50	6.25
5-6'		9.50		
ACER pal	lmatum atr	opurpurea (Jap Red	Maple)
$1\frac{1}{2}-2'$ (Grafted	6.75	6.00	
2-21	"	8.00	7.00	
$2\frac{1}{2}-3'$	"	11.00	10.00	
3-4'	"	14.50		
A. platano	ides (Norwa	y Maple)		
13-2"	Cal.	11.00	10.00	9.50
$2-2\frac{1}{4}$,,	15.00	13.50	12.50
$2\frac{1}{4}$ - $2\frac{1}{2}$ "	,,	17.00	16.00	15.00
$2\frac{1}{2}$ -3"	,,	21.00	19.00	18.00
$3-3\frac{1}{2}''$,,	27.00		
$3\frac{1}{2}-4''$,,	33.00		

PLATANUS ACERIFOLIA



		Each	Each per 10	Each per 100
A. platanoides cr	imson k	ing (Plar		
		King Map		
$1\frac{1}{4}$ - $1\frac{1}{2}$ Cal.	8-10'	13.50	12.50	11.50
12-14	"	17.50	16.00	15.00
$1\frac{3}{4}-2"$	"	20.00		
AMYGDALUS p	ersica r	ubra ple	no (Doub	le
Red Pe		•		
7-8' B&B		11.00		
APPLES in var	ieties			
5 to 6-yr.	6-8	\$3.50	to \$ 7.0	0 each
Larger Size			to \$20.0	
AZALEA amoer			,	
12-15"			2,25	2.00
15-18"			2.75	
$1\frac{1}{2}-2'$			3.75	
$2-2\frac{1}{2}$			5.00	
A. calendulacea	(vellow			
2-3'	(5 0210 11	3.75	~ /	
3-4'		4.75		

(London Plane) FALL 1956




	Each	Each per 10	Each per 100
A. kaempferi (Torch Az	alea)	per 10	per 100
15-18"	3.00		
$1\frac{1}{2}$ -2'	4.00	3.75	
$2-2\frac{1}{2}'$	5.50		
A. Fedora Kaempferi h			:)
$1\frac{1}{2}$ -2'	4.25	4.00	
$2-2\frac{1}{2}'$	5.75	5.50	
A. Firefly (scarlet)			
12-15"	2.50	2.25	2.00
15-18"	3.50	3.00	2.75
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
$2-2\frac{1}{2}'$	5.75	5.50	
A. Hinodegiri (red)			
12-15"	2.75	2.50	2.25
15-18"	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.50	4.25	
A. hinomayo (Shell Pink	:)		
12-15"	2.75	2.50	2.25
15-18"	3.50	3.25	3.00
18-24"	4.50	4.25	
A. kurume (Orange Bea	uty)		
15-18"	3.50	3.25	
18-24"	4.50	4.25	
A. ledifolia alba (White)			
15-18"	3.50	3.25	
18-24"	4.50	4.25	4.00
$2-2\frac{1}{2}'$	5.75	5.50	
A. lilacina (Lilac)			
15-18"	3.50	3.25	3.00
1½-2'	4.25	4.00	3.75
$\tilde{2}$ -2 $\frac{1}{2}$ '	5.50	5.00	
A. pontica in varieties (yellow, re	ed and or	ange)
18-24"	4.25	3.75	3.50
$2-2\frac{1}{2}'$	5.25	4.75	4.25
2½-3′	6.50	6.00	
A. poukhanensis (Kore	an Azalea	.)	
15-18"	3.50	3.25	
$2-2\frac{1}{2}'$	5.50	5.00	
A. rhombica (Pale Lave			
18-24"	4.25		
2-21/2	5.50	5.00	
A. schlippenbachi (Soft			
15-18"	3.50	3.25	
$1\frac{1}{2}$ -2'	4.25	4.00	
$2-2\frac{1}{2}$	5.50		
BERBERIS Julianae (W		Rarharm	7)R.F.T
12-15"	2.00	1.75	1.50
15-18"	2.50	2.25	2.00
$1\frac{1}{2}$ -2'	3.50	3.25	2.90
$\frac{1}{2}$ - $\frac{2}{2}$ - $\frac{1}{2}$ '	4.50	4.00	2.00
Container Grown	2.25	2.00	
Container Grown	2.20	2.00	

uc, .ves		Each	Each per 10	Each per 100
B. thunbergi (J	ap. Barbe		per 10	per 100
15-18"		.40	.35	.27
$1\frac{1}{2}-2'$.50	.40	.35
$2-2\frac{1}{2}'$.60	.50	.40
$2\frac{1}{2}$ -3'		.70	.60	.50
B. thunbergi at	ropur-pure			
15-18′′		.50	.45	.38
$1\frac{1}{2}$ -2'		.60	.55	.50
$2-2\frac{1}{2}'$.70	.60	.55
$2\frac{1}{2}$ -3'		.80	.70	.65
BETULA alba (European ps, B&B	White 1	Birch)	
4-5'	,,	4.00	3.50	
5-6' "	,,	6.00	5.50	
6-8' "	"	8.00	7.50	
BIOTA — See	Thuis	0.00	1.00	
BUDDLEIA (B Dubonnet,			- Charming	Pink,
	.,,,,,,	.85	.65	
CASTANEA me	ollissima	(Chinese	e Chestnut)	
6-8' Extra			.,	
8-10' "	1104.5	9.00		
CHAMAECYPA	DIC	0.00		
C. obtusa cripsi		Hinoki	Cynress	
$2\frac{1}{2}$ -3'	(Golden	5.25	Cypress)	
C. obtusa graci	lia (Cland		lei Carnanda	
$2\frac{1}{2}$ -3'	ins (Sient	4.50	KI Cypress	,
$3 ext{-}3 extstyle{1}{2}$		6.25	6.00	
$3\frac{1}{2}$ -4'		7.50	0.00	
4-5'		10.00		
5-6'		14.50		
C. obtusa gracili	ia none /T		nol: Cunnac	a)
	is nana (1	40.00	noki Cypies	3)
$\begin{array}{c} 5\text{-}5\frac{1}{2}' \\ 6\text{-}7' \end{array}$		50.00		
	C			
C. plumosa (Pl	ume Cypi		2.00	1 65
$1\frac{1}{2}$ -2'		2.25	2.00	1.65
$\frac{2-2\frac{1}{2}'}{21-2'}$		2.75	2.50	2.15
$2\frac{1}{2}$ -3' 3-4'		$\frac{3.25}{3.85}$	$\frac{3.00}{3.50}$	$\frac{2.70}{3.20}$
3-4 4-5'		$\begin{array}{c} 5.65 \\ 5.25 \end{array}$	$\frac{3.50}{4.75}$	$\frac{3.20}{4.25}$
·	(0.11-			4.20
C. pisifera aure	a (Golde)	n Sawar 2.75	a Cypress) 2.50	2.25
$2 ext{-} 2 extstyle{\frac{1}{2}}'$		$\frac{2.75}{3.25}$	$\frac{2.50}{3.00}$	2.75
42-0				2.13
3-4' 4-5'		$\frac{4.00}{6.00}$	$\frac{3.75}{5.50}$	
5-6'		8.00	7.25	
6-7'		10.00	9.00	
	on (Cald		3.00	
C. plumosa aur	ea (Gold		1.50	1.95
15-18"		1.75	1.50	1.35 1.75
$1\frac{1}{2}$ -2'		$\frac{2.25}{2.75}$	2.00	2.75
$2-2\frac{1}{2}$		2.75	2.50	2.15

	Each	Each per 10	Each per 100
CHAMAECYPARIS PI			
$2\frac{1}{2}$ -3'	3.25	3.00	2.70
$3-3\frac{1}{2}'$	3.75	3.50	3.25
$3\frac{1}{2}$ -4'	4.75	4.25	
4-5'	6.50		
C. filifera (Thread Cy	ypress)		
$2-2\frac{1}{2}'$	3.00	2.85	
$2\frac{1}{2}$ -3'	3.50	3.25	
$3-3\frac{1}{2}'$	4.00	3.75	
$3\frac{1}{2}-4'$	5.00	4.50	
$\frac{1}{4} - 4\frac{1}{2}'$	6.50		
C. squarrosa (Moss C	vpress)		
$1\frac{1}{2}-2'$	2.25	2.00	1.75
$2-2\frac{1}{2}$	2.75	2.50	2.15
$2\frac{1}{4}-3'$	3.25	3.00	2.70
$3\frac{1}{2}-4'$	5.00	0.00	
4-5'	6.50		
CORNUS flor. rubra —	· B&B		
4-5'	8.50	7.75	
5-6'	12.00	11.00	
6-7′	17.00	11.00	
7-8'	22.00		
	gwood) B&B		
6-7'	12.00		*
7-8'	15.00		
C. mas B&B			
4-5' Heavy	4.50		
9-0	6.00		
C. sanguinea (Blood T			
2-3' 3-4'	.90	.80	
C. stolonifera lutea (Y	1.00	.90	
2-3'	.90	.80	
3-4'	1.00	.00	
4-5'	1.25	1.10	
-			
COTONEASTER adpre		e Cotonea	ister)
Container Grown	3.00		

TAXUS CUSPIDATA (Spreading)



	Each	Each per 10	Each per 10
C. divaricata — B&B			
2-3'	2.25	2.00	1.75
3-4'	3.00	2.75	2.50
4-5'	3.75	3.50	3.25
C. horizontalis (Rock Co			
Container Grown	2.75		
C. foveolata — B&B			
2-3'	2.25	2.00	1.75
5-6'	4.50		
CRYPTOMERIA jap. Lo	bbi		
3-4'	5.00		
4-5'	6.00		
DEUTZIA crenata P. of	R. and c	renata ros	ea
3-4'	.80	.70	····
4-54		.90	
5-6'	1.35	1.10	
D. gracilis (Slender Deu			
15-18"	.75	.65	
$1\frac{1}{2}$ -2'	.90	.80	
ENKIANTHUS (Red Vo	ein Enklar	thus) —	B&B
$2-2\frac{1}{2}'$	3.00	2.75	
$2\frac{1}{2}-3'$	4.00	3.50	
3-4'	5.00	4.50	
EUONYMOUS vegetus	(B&B)		
15-18" Heavy	1.75	1.50	1.25
$1\frac{1}{2} \cdot 2'$ "	2.00	1.75	1.50
2-21/ "	2.50	2.25	2.00
$2\frac{1}{2} - 3'$	3.00	2.75	
FORSYTHIA fortunei			
F. intermedia			
3-4'	1.00	.90	
F. spectablis			
3-4'	1.00	.90	
4-5'	1.10	1.00	.90
5-6'	1.50	1.25	1.10
6-7'	1.75	1.50	
0.			

E Carine Class	Each	Each per 10	Each per 100
F. Spring Glory 4-5'	1.10	1.00	.90
5-6'	1.50	1.25	1.10
GLEDITSIA triacanthos		1.20	
(Thornless Honey			
6-8' $1-1\frac{1}{4}$ " Cal	4.00	3.50	
8-10' $1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal	5.25	4.75	
$8-10'$ $1\frac{1}{2}-2''$ "	7.00	6.25	
HALESIA tetraptera (Si	lver Bell)	
3-4'	1.50	1.25	
4-5'	2.00	1.75	
6-8'	6.00	1.10	
8-10'	8.00		
HEDERA helix (English			
2 Year	.35	.30	.25
5" Pots	.60	.50	.20
HYDRANGEA arb. grand	1.10		now)
3-4'		1.00	
H. hortensis (Blue Hydr 4 Year Plants		1.75	
Pot Grown	$\frac{2.00}{1.50}$	$\frac{1.75}{1.25}$	
	1.50	1.20	
HYDRANGEA pee gee			
2-3'	.90	.80	
3-4'	1.10	1.00	.85
4-5'	1.50	1.25	1.00
HYPERICUM aureum			1
$1\frac{1}{2}-2'$.70	.60	.50
2-3'	.80	.70	.60
ILEX bullata (Japanese		-	
15-18"	3.75	3.50	3.00
18-24"	5.00	4.50	4.00
$2-2\frac{1}{2}'$	6.50	6.00	
I. crenata (Jap. Holly)			
$1\frac{1}{2}$ -2'	3.75	3.50	3.25
$\frac{2-2\frac{1}{2}'}{21-2'}$	5.00	4.50	4.25
$\frac{2\frac{1}{2}-3'}{2}$	$\frac{6.00}{7.75}$	5.50	5.25
$\frac{\bar{3}\cdot 3\frac{1}{2}'}{3\frac{1}{2}\cdot 4'}$	8.75	7.00 8.00	
$\frac{32-4}{4-5'}$	11.00	10.00	
	11.00 Гуре)	10.00	
18-24"	4.50	4.25	3.90
$2-2\frac{1}{2}$	5.50	5.25	5.00
$2\frac{1}{2}\cdot 3'$	7.00	6.50	5.00
I. crenata compacta	1.00	0.00	
15-18" Spread	4.00	3.75	
$1\frac{1}{2}$ -2' "	5.00	4.50	
$\frac{1}{2}$ - $\frac{1}{2}$ ' ""	6.50	6.00	
I. cr. rotundifolia	5.00	0.00	
$1\frac{1}{2}$ -2'	5.00	4.50	
$2 - 2\frac{1}{2}$	6.25	5.75	
	0.20	0.10	

BULKS	NURSERIE	72	9
I. glabra (Inkberry)	Each	Each per 10	Each per 100
15-18"	2.50	. 0.05	0.00
13-16 1½-2'	2.50	2.25	2.00
$\frac{12-2}{2-2\frac{1}{2}}$	$\frac{3.00}{3.75}$	2.75	2.50
$2\frac{1}{2}$ - 3 '	5.00	3.50	3.25
_		4.50	
I. opaca (American Ho	•	4	
2-3'	5.00	4.50	
Selected berried p I. verticillata (Winterbo	lants 25%	addition	al.
		1.00	0.00
2-3' 3-4'	1.25	1.00	.85
4-5'	1.35	1.15	1.00
	1.75	1.50	
JUNIPERUS chinensis	pfitzerian	ıa	
(Pfitzer Juniper)			
$1\frac{1}{2}$ -2'	3.75		
2 - $2\frac{1}{2}$	4.75		
$2\frac{1}{2}$ -3'	6.00	5.50	
$3-3\frac{1}{2}'$	7.50		
$3\frac{1}{2}$ -4'	9.50		
J. chinensis columnaris			
(Columnar Chine	ese Junipe	er)	
4-5'	6.50		
5-6'	8.50		
12-14′	35.00		
14-16′	43.00		
16-18′	50.00		
J. communis hibernica ((Irish Juni	iper)	
J. communis suecica (Sy	wedish Ju	niper)	
3-4'	3.00	2.75	
4-5′	3.75	3.50	
J. stricta	0110	0.00	
15-18"	2.00	1.75	1.60
$1\frac{1}{2}$ -2'	2.75	2.50	2.25
$\frac{1}{2} - \frac{1}{2}$	3.50	3.25	2.20
J. glauca hetzi (Hetz's Sp			
15-18"	2.75	2.50	2.25
$1\frac{1}{2} \cdot 2'$	3.50	3.25	3.00
$2 - 2 \frac{1}{2}$	4.50	0.20	0.00
$2\frac{1}{2} - 3'$	5.25		
J. keteleeri (Keteleer Ce			
4-5'	7.00		
5-6'	9.00		
		. \ 70.01	n
LABURNUM vossi (Gol 8-10' $1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.		1) — B&	В
LESPEDEZA formosa			
(Purple Bush Cle	over)		
(Good Deep		Strain)	
Heavy	1.25	1.00	
•)
LEUCOTHOE catesbaei			
15-18"	3.00	2.75	2.50
$1\frac{1}{2}$ -2'	3.50	3.25	



AIR VIEW OF MAIN NURSERIES SOUTH SIDE OF Rt. 27A

		Each	Each per 10	Each per 100		ach r 100
LIGUSTRUM	ibota rege	lianum (Reg	el's Pri	vet)	LONICERA grandiflora (Bush Honeysuckle)	
	read	.50	.40	$.32\frac{1}{2}$) 3-4' 1.00 .90	
	22	.70	.60	.50	4-5' 1.10 1.00	.90
3-44	"	1.00			5-6' 1.35 1.10	1.00
L. ovalifolium	(Californ	ia Privet)			MAGNOLIA soulangeana — B&B	
2-3'	. (Сильств	.25	.22	.20	4-5' 7.50	
3-4'		.40	.30	.25	5-6' 10.50	
	TOTAL A				6-7' 14.00	
LIQUIDAMB			Gum)	вав	M. soulangeana nigra and lennei — B&B	
1¾-2″ Ca		15.50			4-5' 9.00	
$2-2\frac{1}{4}''$ '	,	20.00			5-6' 12.00	
$2\frac{1}{4}$ - $2\frac{1}{2}''$,	24.00			M. halleana (Stellata) (white) — B&B	
$2\frac{1}{2}$ -3" "	,	32.00			2-3' Heavy 8.00	
$3-3\frac{1}{2}"$,	40.00			5-6' " 18.00	



12	BULK'S	NURSERIE	2	
		Each	Each per 10	Each per 100
MALUS (Flowering Cra	b) arnoldia	na, eleyi,	
6-8'	Heavy	7.00	6.00	
6-8'			9.00	
8-10'	Heavy	9.00	8.00	
8-10'	B&B Heavy	12.50	11.50	
	pennsylvanica	(Bayberry)		
B&	В	2.75	2.50	
$1\frac{1}{2}$ -2'		$\begin{array}{c} 2.75 \\ 3.25 \end{array}$	$\frac{2.50}{3.00}$	
$2 ext{-} 2 extstyle{rac{1}{2}}' \ 2 extstyle{rac{1}{2}} ext{-} 3'$		$\frac{5.25}{4.25}$	$\frac{3.00}{4.00}$	
_	DESCRIPTION IN COLUMN		4.00	
OXYDEN. B&	DRUM arbore B	um		
3-4'		4.25	4.00	
4-5'		6.00	5.50	
5-6'		8.50	7.75	
PHILADI	ELPHUS Mt. I			
3-4'		.90	.80	.70
4-5'		1.00	.90	.80
5-6'		1.35	1.10	
6-7'		1.75	1.50	
	nche (double			
3-4'		.90	.80	.70
4-5'		1.00	.90	.80
5-6'		1.35	1.10	1.00
6-7'		1.75	1.50	1.25
7-8′		2.50	2.00	
	IA villosa (C			erry)
3-4'		1.25	1.00	4.00
4-5'		1.50	1.25	1.00
5-6'		2.00	1.75	1.50
6-7'		2.50	2.25	2.00
8-10		3.75	3.50	
	CARPUS opuli			
4-5'		1.10	1.00	
5-6'		1.50	1.25	1.00
6-7'	0 - 32 - (3	1.75	1.50	
	folius nana (l		Bark)	
5-6' 6-8'		$\frac{2.00}{3.50}$		
PICEA e	xcelsa (Norwa			
2 - $2\frac{1}{2}$,	2.75	2.50	
$2\frac{1}{2}$ -3'		3.50	3.25	
$3-3\frac{1}{2}$,	4.25	4.00	
	japonica (And	lromeda)		
15-18		3.50	3.25	
$1\frac{1}{2}-2'$		4.50	4.25	
$\tilde{2}$ - $2\frac{1}{2}$	/	6.25	_,	
_			Dina)	
PINUS	aensinora (Jai	panese Ren	rine	
PINUS $2-2\frac{1}{2}$	densiflora (Jaj '	3.25		
PINUS $2-2\frac{1}{2}$ $2\frac{1}{2}-3'$	densinora (Jaj	3.25 4.00	3.00 3.65	

BULK'S	NURSERI	ES	13
	Each	Each per 10	Each per 100
PINUS strobus (White P		per 10	per 100
3-4'	6.00	5.00	
4-5'	7.50	6.00	
		0.00	
P. thunbergi (Jap. Black		0.75	0.50
$\frac{2-2\frac{1}{2}}{2}$	4.00	3.75	3.50
$2\frac{1}{2} - 3'$	5.00	4.75	4.50
$3-3\frac{1}{2}$	6.50	6.25	
$\frac{3\frac{1}{2}-4'}{4-5'}$ Heavy	10.00		
5-6'	13.00		
	17.50		
PLATANUS acerifolia		e)	
(London Plane) -		7.05	0.75
$1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal. $1\frac{3}{4}$ -2" "	7.75	7.25	6.75
	10.00	9.50	9.00
Z=Z=	13.25	12.75	12.25
$2\frac{1}{4} - 2\frac{1}{2}$ " " $2\frac{1}{2} - 2\frac{3}{4}$ " "	16.00	15.50	
2½-2¾" "	19.50	18.50	
4-0	22.75	22.00	
∂- ∂-̄2	26.00		
POPULUS nigra italica	(Lombard	ly Poplar)	
5-6'	1.25		
6-8′	1.75	1.50	1.25
8-10′	2.25	2.00	
10-12'	3.00	2.75	2.50
12-14′	4.00	3.60	
PRUNUS Kwansan (Jap.	Floweri	ng Cherry)
6-8'	6.50		
P. maritima (Beach Plu			
3-4'	1.75		
4-5'	2.50	2.25	
			. \
PYRACANTHA coccinea Container Grown	Lalandi	(Firetnori	1)
$1\frac{1}{2}$ -2'	2.75	2.50	
2-3'	3.25	3.00	
		0.00	
RHODODENDRON max			
(Great Bay Rhodo		,	
$2-2\frac{1}{2}$ Heavy	4.25		
$2\frac{1}{2} - 3'$ " $3 - 4'$ "	5.50		
	7.50		
RHODODENDRON Hybri			
Crimson; Catawbi	ense_alba	a, White;	Cataw-
biense gr. fl., Lila	ac; Dr. H	I. C. Dress	selhuys,
Crimson; Prof. Bet	itex, Red;	English I	coseum,
Rose-lavender	F F0	E 05	F 00
15-18"	5.50	5.25	5.00
$1\frac{1}{2}$ -2'	7.00	6.50	6.00
2 - $2\frac{1}{2}$ '	9.00	8.50	
RHODODENDRON hybri			
Boursault (Rose-Li			
15-18"	5.25	4.75	4.50
$1\frac{1}{2}$ -2'	6.50	6.00	5.50

RHODODENDRON hybr	Each id boursault	Each per 10 (contin	Each per 100 ued)
$2-2\frac{1}{2}' \ 2\frac{1}{2}-3'$	$8.50 \\ 11.50$	8.00	7.50
RHUS cotinus (Smoke T	ree)		
2-3' 3-4'	$1.25 \\ 1.75$	1.00 1.50	

ROSES

2-Year — 80 cents Potted 1.25

HYBRID TEA

Condessa de Sastago — bicolor
Crimson Glory — red
Eclipse — reddish gold
Ena Harkness — crimson scarlet
Kaiser in Auguste Viktoria — white
Konigin Carola — pink
McGredy's Scarlet — red
Sister Therese — yellow

FLORIBUNDA

Anne Poulsen — red Floradora — orange scarlet Improved Lafayette — red

CLIMBING ROSES

Blaze — red Golden Emblem — yellow bicolor New Dawn — pink Pauls Scarlet Climber — red

TAXUS MEDIA HICKSI



BULK'S N	URSERI	ES	15
	Each	Each per 10	Each per 100
SALIX babylonica (Weep	ing Will	ow)	
6-8'	2.25	2.00	1.75
8-10' $1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal.	4.75	4.25	4.00
$10-12'$ $1\frac{3}{4}-2''$ "	5.75	5.25	5.00
$10-12'$ $2-2\frac{1}{2}''$ "	8.00		
S. purpurea nana (Dwarf	Purple	Willow)	
2-3'	1.00	.75	•
SOPHORA japonica (Page	nda Tree)		
4-5'	4.50		
5-6'	6.50		
6-7'	9.00		
PIREA Anthony Watere			
$1\frac{1}{2}$ -2'		D.C.	
2-3'	.85	.75	
	1.00	.85	
. van Houttei (Bridal W		0.0	
2-3'	.90	.80	.70
3-4'	1.10	.90	.80
SYMPHORICARPOS race	emosus (Snow Ber	ry)
2-3'	.70	.60	.55
3-4'	.85	.70	
4-5'	1.10	.90	
S. vulgaris (Coral Berry))		
2-3'	.70	.60	.55
3-4'	.85	.70	.65
4-5'	1.10	.90	.00
SYRINGA japonica	2.10		
4-5'	2.00		
5-6'	$\frac{2.00}{2.75}$		
0-0	4.10		

(Hick's Yew) SUMMER 1956



	Each	Each per 10	Each per 100
SYRINGA vulgaris	(Common	Lilac)	
2-3' Heavy	2.00	1.75	
3-4'	2.50	2.25	
S. (French Hybrid	Lilae) (in	varieties)	B&B
2-3' Heavy	3.00	2.75	2.50
2-3' Heavy 3-4' "	3.75	3.50	

THE YEW

The quality of Bulk's Taxus is widely known.

Our prices represent excellent values.

TAXUS baccata repandens

(Spreading English Yew)

15-18" 4.25 4.00

T. cuspidata (Spreading Jap. Yew)

15-18′′	3.75	3.50	3.25
$1\frac{1}{2}$ -2'	4.75	4.50	
$\overline{2}$ - $2\frac{1}{2}$ '	6.00	5.50	
$2\frac{1}{2} - 3^{7}$	8.50	8.00	
$\bar{3}$ -3 $\frac{1}{2}$ '	13.00		

T. cusp. bulki (Bulk's Yew). (Same habit of growth as Taxus cuspidata, but with excellent very dark foliage, a choice plant.)

15-18"	4.00	3.75	3.50
$1\frac{1}{2}$ -2'	5.00	4.75	4.50
$2-2\frac{1}{2}'$	6.25	5.75	

T. cuspidata capitata (Upright Jap. Yew)

	(- I O I	,
$2-2\frac{1}{2}'$	5.75	5.25
$2\frac{1}{2}$ -3'	6.75	6.25
$\bar{3}$ -3 $\frac{1}{2}$ '	7.75	
$3\frac{1}{2}-4^{7}$	9.75	
$4-4\frac{1}{2}$	13.00	
$4-4\frac{1}{2}'$ Heavy	14.50	
$4\frac{1}{2}-5^{7}$	15.00	
$4\frac{1}{2}$ -5' Heavy	18.00	
$\overline{5}$ - $5\frac{1}{2}$ ' Reg.	19.50	18.00
$5-5\frac{3}{4}$ Heavy	22.50	21.00
$5\frac{1}{2}$ -6' Reg.	23.00	
$5\frac{1}{2}$ -6' Heavy	28.00	
6-7' Reg.	31.00	28.00
6-7' Heavy	34.50	31.50
7-8' Reg.	36.00	33.00
7-8' Heavy	39.50	36.00
8-9' "	45.00	41.00
9-10' "	54.00	
A		

100.00

130.00

22

,,

12-14'

14-16'

	1101001111		7.1
	Each	Each per 10	Each per 100
T. capitata columnaris			per 100
$3\frac{1}{2}$ -4'	9.75	9.00	
$\frac{32}{4 \cdot 4\frac{1}{2}'}$	13.00	12.00	
$4\frac{1}{2}-5'$	15.00	14.00	
$5\frac{1}{2}$ -6'	23.00	14.00	
6.7'			
7-8'	31.00		
7-0 8-9'	36.00		
9-10'	45.00		
	54.00		
T. cuspidata capitata			
(An upright var			
those of T. na		ry slow	grower.)
$4-4\frac{1}{2}'$	16.00		
$4\frac{1}{2}$ -5'	19.50		
5-6'	26.00		
7-8'	39.00		
T. intermedia (Hybrid			
(Spreading Type			
15-18"	4.25	4.00	3.75
$1\frac{1}{2}$ -2'	5.25	5.00	4.75
$2-2\frac{1}{2}$	6.75	6.25	ξ,
$2\frac{1}{2}$ -3'	9.00		
$3-3\frac{1}{2}'$	14.00	, .	
$3\frac{1}{2}$ -4'	18.00		1
$4-4\frac{1}{2}'$	23.00		
T. media hatfieldi (Ha	atfield Yew)	
15-18"	3.75	3.50	3.25
$1\frac{1}{2}$ -2'	4.50	4.25	4.00
$2-2\frac{1}{2}'$	5.50	5.25	5.00
$2\frac{1}{2}$ -3' Reg.	6.75		
$2\frac{1}{2}$ -3' Heavy	8.00		
$3-3\frac{1}{2}'$ Reg.	9.00		
$3-3\frac{1}{2}'$ Heavy	12.00		
T. hicksi (Hick's Yew)			
15-18"	3.25	3.00	2.75
$1\frac{1}{2}-2'$	3.75	3.50	3.25
$2-2\frac{1}{2}'$	5.00		
$2\frac{1}{2}$ -3' Reg.	6.50		
TAXUS hicksi (continu	ued)		
$2\frac{1}{2}$ -3' Heavy	7.50	7.00	
$3-3\frac{1}{2}'$ Reg.	8.50	7.75	
$3-3\frac{1}{2}$ Heavy $4-4\frac{1}{2}$ Heavy	9.75		
$\frac{4.4\frac{1}{2}'}{1.5'}$ Heavy	16.00		
4 2 • 0	20.00		
9-0	27.00		
0-1	32.00		
T. kelseyi (Kelsey's Y		4	
$2-2\frac{1}{2}'$	5.00	4.50	
$2\frac{1}{2}$ -3'	6.50	5.75	
$3-3\frac{1}{2}'$	8.50		

e.	Each	Each per 10	Each per 100
T. nana brevifolia		,	
$1\frac{1}{2}$ -2'	5.75	5.25	
$2 \cdot 2 \cdot$	7.75	7.25	
$2\frac{1}{2} \cdot 3'$	11.00	1.20	
T. vermeulen (Verm			
	5.50	5.25	
$2-2\frac{1}{2}$	6.75	6.25	
$2\frac{1}{2}-3'$	9.25	8.50	
$3 ext{-} 3 extstyle{}^1_2$			
THUJA occidentalis			
$2\frac{1}{2}$ -3'	2.75	2.50	2.25
3-4'	3.50	3.25	3.00
4-5'	4.50	4.25	4.00
5-6′	5.50		
T. occ. compacta & (Parson's Arb			
15-18"	2.25	2.00	1.75
$1\frac{1}{2}$ -2'	2.75	2.50	2.25
$2-2\frac{1}{2}$	3.25	3.00	2.75
$2\frac{1}{2} \cdot 3'$	4.00	3.75	3.50
T. occ. nigra (Dark			0.00
$2\frac{1}{2}-3'$	3.00	2.75	2.50
3-4'	3.75	3.50	3.25
4-5'	5.00	4.50	4.25
T. occ. elegantissima			1.20
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	4.00	3.75	3.50
4-5'	5.00	4.50	$\frac{3.30}{4.25}$
5-6'	6.50	4.00	1.20
T. occ. pyramidalis		wh)	
2-2½'	2.75	2.50	2.25
$2\frac{2}{2}$ $2\frac{1}{2}$ $3'$	3.00	2.75	2.50
$\frac{25}{3}$ -3			
3-4 4-5'	3.75	3.50	3.25
4-0 5-6'	5.00	4.50	4.25
~ ~	6.00		
T. occ. rosenthali (Ro $1\frac{1}{2}$ -2'	2.75	2.50	
$\frac{1}{2}$ -2 $\frac{1}{2}$	$\frac{2.75}{3.25}$	2.30	
	$\begin{array}{c} 3.25 \\ 4.25 \end{array}$		
$2\frac{1}{2}$ -3' 3 -4'			
	5.00		
T. standishi (Standi			
8-10'	16.50		
10-12′	19.00		
T. occ. wareana (Sil			
$1\frac{1}{2}$ -2'	2.25		1.75
2 - $2\frac{1}{2}$ '	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	5.00	4.50	
4-5'	6.50	or direct me	
5-6'	8.00		
T. orientalis nana a		Riota)	
15-18"	2.50	2.25	2.00
20 40	4.00	4.40	2.00

	Each	Each per-10	Each per 100
THUJA Orientalis Nana			Por 200
18-24"	3.00	2.75	2.50
$2-2\frac{1}{2}'$	3.75	3.50	3.25
$2\frac{1}{2}-3'$	4.50	4.00	3.75
TSUGA canadensis (Ca	nadian H	(emlock)	
1½-2'	3.25	3.00	2.75
2-2½′	3.75	3.50	3.25
2½-3′	4.75	4.50	4.25
3-3½'	6.50	6.00	5.50
31-4'	7.50	7.00	6.50
3½-4' Heavy	9.00	8.50	
4-5'	10.00	9.00	8.50
4-5' Heavy	13.00	12.00	0.00
5-6' ''	17.00	16.00	
ULMUS americana (Am			
$2\frac{1}{2}$ -3" Cal.	14.00		
$3-3\frac{1}{2}''$ "		13.00	
$3\frac{1}{2}-4''$ "	19.00 24.00	17.50	
4-5" "		22.00	
7.7	29.00	26.50	
U. pumila (Siberian Elm		10.00	
$2-2\frac{1}{2}''$ Cal.	11.50	10.50	
$2\frac{1}{2} - 3''$ " $3 - 3\frac{1}{2}''$	$14.50 \\ 19.00$	13.50	
	19.00	17.50	
VIBURNUM burkwoodi			
$2-2\frac{1}{2}'$ B&B	3.75	3.50	
$2\frac{1}{2}$ -3'	4.75		
		iburnum)	B&B
$2-2\frac{1}{2}'$	3.75		
V. lentago (Nannyberry)			
5-6'	2.00	1.75	
6-7'	3.00	3 44	
V. opulus (European Cra	anberry H	Bush)	
4-5'	1.50	1.25	
5-6'	1.75	1.50	
6-7'	2.50		
V. op. sterilis (Common	Snowball)	
3-4'	1.50	1.25	
4-5'	1.75	1.50	
5-6'	2.50	2.25	
6-7'	3.25		
V. rhytidophyllum (Leath	her Leaf	Viburnum)	В&В
$1\frac{1}{2}$ -2'	3.00	2.75	
$2-2\frac{1}{2}'$	4.00	3.75	
$2\frac{1}{2}$ -3'	5.00	4.50	
3-4'	6.50	1 1	
V. theiferum (Tea Vibu	rnum)		
3-4'	1.75	1.50	
4-5'	2.25	2.00	

	Each	Each per-10	Each per 100
V. tomentosum (Dou			
3-4'	1.25	1.00	1 10
4-5'	1.50	1.25	1.10
5-6'	2.00	1.75	1.50
6-7'	3.00		

WEIGELIA nana variegata (Variegated Foliage) 3-4' 1.25

WISTERIA sinensis, sinensis alba (Chin. Wisteria) 9 Year Grafts B&B \$8.50 each

LINING OUT TAXUS CAPITATA OR COLUMNARIS

(Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled. (Excellent Root System.)

ROW RUN	per 100
2-3' B.R.	3.75
3-4' "	4.75
3-4' B&B	5.50

LINING OUT STOCK Large Quality Liners

CHAMAECYPARIS	plumosa
(Green Plume	Cypress)
40 4 = 11	

12-15" .35
C. plumosa aurea (Golden Plume Cypress)

C.. plumosa squarrosa (Moss Cypress)
10-12" .35

THUJA occ. compacta (Globe Arborvitae) 8-12" .35

ILEX crenata (Spreading Type Jap Holly) 8-10".45

AZALEA amoena (purple-red)

2-3 Yrs. — Heavy

8-10" .50

A. kaempferi fedora (pink) 2-3 Yrs. — Heavy


12-15" .55

A. hinodegiri (Red)

2-3 Yrs. — Heavy 8-10" .65

A. Orange Beauty (Orange) 2-3 Yrs. — Heavy

10-12" .65



BULK'S NURSERIES

BABYLON, NEW YORK

Telephone MOhawk 9-4400